

Prepared for:

CBD LUXE

955 E WESTGLOW

GREENWOOD VILLAGE, CO USA 80121


Be Well Inhaler

Batch ID or Lot Number: WLI002A	Test: Potency	Reported: 28Apr2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000242467	Started: 27Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 25Apr2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.019	0.059	ND	ND	
Cannabichromenic Acid (CBCA)	0.018	0.054	ND	ND	
Cannabidiol (CBD)	0.059	0.159	1.030	10.30	
Cannabidiolic Acid (CBDA)	0.060	0.163	ND	ND	
Cannabidivarin (CBDV)	0.014	0.038	0.140	1.40	
Cannabidivarinic Acid (CBDVA)	0.025	0.068	ND	ND	
Cannabigerol (CBG)	0.011	0.033	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.046	0.139	ND	ND	
Cannabinol (CBN)	0.014	0.043	ND	ND	
Cannabinolic Acid (CBNA)	0.031	0.095	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.054	0.166	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.049	0.151	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.044	0.133	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.030	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.039	0.118	ND	ND	
Total Cannabinoids			1.170	11.70	
Total Potential THC			ND	ND	
Total Potential CBD			1.030	10.30	

Final Approval



Sam Smith
28Apr2023
08:55:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
28Apr2023
08:58:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/959344c2-73c8-4e65-a46a-a7e5a3b6c396>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

959344c273c84e65a46aa7e5a3b6c396.1