

Prepared for:

CBD LUXE

955 E WESTGLOW

GREENWOOD VILLAGE, CO USA 80121

Be Ice Cooling Spray

Batch ID or Lot Number: BICS004A	Test: Potency	Reported: 05Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000240335	Started: 04Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Mar2023	Status: N/A

Cannabinoids


	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.860	5.937	ND	ND	# of Servings = 1, Sample Weight=30g
Cannabichromenic Acid (CBCA)	1.702	5.430	ND	ND	
Cannabidiol (CBD)	5.145	14.924	24.810	0.80	
Cannabidiolic Acid (CBDA)	5.277	15.306	ND	ND	
Cannabidivarin (CBDV)	1.217	3.530	5.400	0.20	
Cannabidivarinic Acid (CBDVA)	2.201	6.385	ND	ND	
Cannabigerol (CBG)	1.056	3.371	41.670	1.40	
Cannabigerolic Acid (CBGA)	4.416	14.091	ND	ND	
Cannabinol (CBN)	1.378	4.397	ND	ND	
Cannabinolic Acid (CBNA)	3.013	9.614	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	5.261	16.787	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.778	15.246	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	4.233	13.508	ND	ND	
Tetrahydrocannabivarin (THCV)	0.961	3.066	10.590	0.40	
Tetrahydrocannabivarinic Acid (THCVA)	3.734	11.914	ND	ND	
Total Cannabinoids			82.470	2.80	
Total Potential THC			ND	ND	
Total Potential CBD			24.810	0.80	

Final Approval



Karen Winternheimer
05Apr2023
02:31:00 PM MDT

PREPARED BY / DATE



Sam Smith
05Apr2023
02:35:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c01104fe-9df8-4e43-92d6-371dfd7227ac>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
c01104fe9df84e4392d6371dfd7227ac.1